IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No. : 10/579,075

Confirmation No.: 1578

First Named

: Hubert KOCH

Inventor

Filed

: November 3, 2004

TC/A.U.

: 1736

Examiner Docket No. : Brian D. Walck : 056226.57663US

Customer No.

: 23911

Title

: Cast Aluminum Alloy

DECLARATION UNDER 37 C.F.R. § 1.132

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

I, Blanka LENCZOWSKI, hereby declare as follows:

- I am a citizen of Germany, residing at Kaiserstr. 2, D-85579 Neubiberg. 1.
- I attended Montan-University in the Czech Republic from 1982-1986 and 2. received a degree in metallurgy from Montan-University in 1986. I also attended the University of Siegen in Germany from 1988-1992 and received a doctorate in engineering from the University of Siegen in 1992.
- 3. Prior to attending the University of Siegen, I was an engineer at a company in the Czech Republic. Since earning my doctorate degree, I have been employed by EADS Deutschland GmbH, the assignee of the above-identified U.S. Patent Application No. 10/579,075 ("the '075 application"), working in the area of Materials Technology. I currently hold the position of Senior Expert in Materials Technology at EADS Deutschland GmbH. My work at EADS Deutschland GmbH has involved and continues to involve aluminum alloys.
- 4. I am an author of many publications regarding aluminum alloys and have

given many presentations on aluminum alloys. A list of my publications and presentations is attached. I am also an inventor on various patent applications and patents directed to aluminum alloys. A list of my patent applications and patents is attached.

- 5. I am the inventor of '075 application and make this Declaration in support of the '075 application, which claims a cast aluminum alloy.
- 6. I have reviewed the Office Action dated May 20, 2011 ("Office Action") and U.S. Patent No. 3,619,181 ("Willey") and U.S. Patent No. 5,620,652 ("Tack et al.") cited in the Office Action. I understand that claims 17, 20-23, 26-29, 31-34, 36, and 37 of the '075 application stand rejected under 35 U.S.C. § 103(a) as obvious over Willey in view of Tack et al.
- 7. The present claims are directed to a cast aluminum alloy. The cast aluminum alloy comprises aluminum, 3.0-6.0 % by weight magnesium (Mg), > 1.0 4.0 % by weight silicon (Si), 0.01 < 0.5 % by weight scandium (Sc), 0.05-0.15 % by weight titanium (Ti), and at least 0.001 % by weight gadolinium (Gd). Other elements may be present in the cast aluminum alloy but are not required. The total amount of impurities in the cast aluminum alloy is not more than 0.5 % by weight and no single impurity in the cast aluminum alloy is present in an amount of more than 0.1 % by weight.
- 8. One of ordinary skill in the art, reading Willey as a whole, would understand that Willey is directed to wrought aluminum alloys. Wrought aluminum alloys are alloys produced in ingot or billet form and subsequently worked by any number of processes such as rolling, extruding, forging, drawing, or another metal working process. The working produces semi-finished products from which end-use products are subsequently made. While Willey does not explicitly state it is directed to wrought aluminum alloys, the following passages of Willey indicate to one of ordinary skill in the art that Willey is directed to wrought aluminum alloys:

| | aluminum alloys to which scandium |
|---------------------|--|
| | may be added according to my |
| | invention as identified by The |
| | Aluminum Association are 7075, 7079, |
| | 7178, 7005, 7039, 6061, 6351, 6161, |
| | 6063, 5005, 5050, 5052, 5083, 5454, |
| | 5456, 3003, 3005, 2014, 2017, 2618, 2219, 2020 and 2024."1 |
| Col. 2, lines 65-66 | "The resultant alloys were cast in |
| Cor. 2, times 65-66 | ingot form and cold rolled to a |
| | reduction of 89 percent." |
| Col. 3, lines 5-15 | "Similar effects are observed when a |
| Coi. 5, lines 5-15 | 99.903 percent pure aluminum, the |
| | balance being 0.054 percent of iron |
| | and 0.043 percent of silicon, is alloyed |
| | with 1 percent by weight of |
| | manganese and small amounts of |
| | scandium, cast in ingot form and then |
| | cold rolled to an 89 percent reduction." |
| Table IV | See footnotes. |
| Col. 5, lines 4-7 | "What is said immediately above is |
| | generally illustrated in the following |
| | table V, where is shown the effect of |
| | aging after cold working of aluminum |
| | and of various aluminum alloys as |
| | herein defined." |
| Col. 6, lines 9-10 | "In each case the cold worked metal, |
| | after having been given the indicated |
| | heat treatment for 30 minutes and |
| | then quenched in cold water was aged |
| Cal P lines 60 74 | for 8 hours at about 285°-290°C." |
| Col. 8, lines 69-74 | "Instances of the above are presented in the following table VII both in |
| | respect to previously mentioned alloys |
| | and additional alloys. In each case |
| | the cold worked metal, after having |
| | been given the indicated heat |
| | treatment was subjected to an aging |
| | operation under the indicated |
| • | |
| | conditions of time and temperature." |

¹ Wrought aluminum alloys are identified by a four digit number, as shown in the attached excerpt of Dr. John Datta, Key to Aluminum Alloys, 5th Edition, 1997. The excerpt lists most of these representative wrought aluminum alloys.

9. Tack et al. also shows that one of ordinary skill in the art, reading Willey as a whole, would understand Willey is directed to wrought aluminum alloys. Tack et al. discusses Willey at col. 1, lines 49-59:

"Among all alloying elements used to strengthen wrought aluminum alloys, scandium (Sc), despite its rare occurrence, has received significant attention. For instance, U.S. Pat. No. 3,619,181 to Willey discloses the addition of Sc to a wide range of binary, ternary, and multicomponent alloy systems. It is claimed that the aluminum alloys that can be strengthened with Sc additions include wrought aluminum alloys identified by the Aluminum Association such as 7075, 7079, 7178, 7005, 7039, 6061, 6351, 6161, 6063, 5005, 5050, 5052, 5083, 5454, 5456, 3003, 3005, 2014, 2017, 2618, 2219, 2020 and 2024." Emphasis added.

Tack et al. does not discuss Willey as disclosing aluminum alloys in general, including cast aluminum alloys. Rather, Tack et al. interprets Willey as being directed to wrought aluminum alloys.

- 10. Cast aluminum alloys and wrought aluminum alloys are significantly different. Unlike wrought aluminum alloys, cast aluminum alloys are not subjected to subsequent rolling, extruding, forging, drawing, or another metal working process. Rather, cast aluminum alloys refer to alloys that are used in parts cast to final or near-final shape and to the ingot form from which such castings are made.
- 11. The properties of aluminum alloys result from the processes by which they are made. Since cast aluminum alloys are not subjected to a working process, the properties of cast aluminum alloys depend on their chemical composition and the casting process. In contrast, the properties of wrought aluminum alloys depend on their chemical composition and the working process.

- 12. Due to these differences, one of ordinary skill in the art would not have had a rational reason and a reasonable expectation of success in utilizing the alloying elements disclosed in Willey in the amounts disclosed in Willey in a cast aluminum alloy. One of ordinary skill in the art would not have reasonably expected utilizing the alloying elements disclosed in Willey in the amounts disclosed in Willey would produce a cast aluminum alloy with properties the same as or similar to Willey's wrought aluminum alloys.
- 13. I hereby declare that all statements made herein of my own knowledge are true, and all statements made on information and belief are believed to be true, and further, these statements were made with the knowledge that willful false statements and the like, so made, are punishable by fine or imprisonment, or both, under §1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the above-identified patent application or any patent issued thereon.

Date: 04 655. 2011

Signature:

[Dr. Blanka LENCZOWSKI]

Dr. Blanka Lenczowski

Senior Expert – Materials Technology Metallic Technologies & Surface Engineering EADS Innovation Works 81663 Munich Germany

Tel.: +49-89/607 227 27 Fax.: +49-89/607 25408

Publications

- (1) Blanka Lenczowski: Das Verhalten von Mikrorissen bei Ermüdung von Werkstoffen, Dissertation 1992, ISBN 3-86111-160-8
- (2) Klaus Detert, Blanka Lenczowski: Das Verhalten von Mikrorissen bei der Wechselbeanspruchung; Z. Metallkunde 84, 1993/5, S. 307-312
- (3) B. Lenczowski, T. Pfannenmüller, U. Koch: Neue Aluminiumlegierungen für die Luftfahrt; Aluminium 73, 5/1997, S. 350-356
- (4) Robert Wiesheu, Blanka Lenczowski, Giulio Morteani: Scandium A Current Review of its Deposits, Reserves, Production and Technical Use, Erzmetall 50, 1997/10, S. 631-639
- (5) R. Rauh, T. Pfannenmüller, B. Lenczowski, F. Palm: Neue schweißbare Aluminiumlegierungen; Werkstoff-Kolloquium 11/97 bei DLR in Köln, S. 47-51
- (6) B. Lenczowski, R. Rauh, D. Wieser, G. Tempus, G. Fischer, J. Becker, K. Folkers, R. Braun, G. Lütjering: Neue schweißbare AlMgSc-Legierungen für die Verkehrstechnik; Werkstoffwoche 12.-15. Oktober 1998 in München, S. 327-332
- (7) B. Lenczowski, T. Hack, D. Wieser, G. Tempus, G. Fischer, J. Becker, K. Folkers, R.Braun, G. Lütjering: AlMgSc Alloys for Transportation Technology; The 7th International Conference on Aluminium Alloys, April 9-14, 2000 in Charlottesville, Virginia
- (8) T. Wirtz, G. Lütjering, A. Gysler, B. Lenczowski, R. Rauh: Fatigue Properties of the Aluminium Alloys 6013 and Al-Mg-Sc; The 7th International Conference on Aluminium Alloys, April 9-14, 2000 in Charlottesville, Virginia
- (9) R. Braun, B. Lenczowski, G. Tempus: Effect of Thermal Exposure on the Corrosion Properties of an Al-Mg-Sc Alloy Sheet; The 7th International Conference on Aluminium Alloys, April 9-14, 2000 in Charlottesville, Virginia
- (10) B. Lenczowski, R. Rauh, D. Wieser, G. Tempus, G. Fischer, J. Becker, K. Folkers, R. Braun, G. Lütjering: Weldable AlMgSc alloys for transportation technology; ALUMINIUM, 76. Jahrgang 2000/3, S. 200-203
- (11) B. Lenczowski: Aluminium in der Verkehrstechnik; Euroforum Aluminium Konferenz, 26.-27. Juni 2001, München

- (11) B. Lenczowski: New Light Alloys for Welded Aircraft Structure, 23rd International Congress of Areronautical Sciences (ICAS), Toronto – Canada 8-13 September, 2002
- (12) S. Jambu, B. Lenczowski, R. Rauh, K. Juhl: Creep Forming of Al-Mg-Sc Alloys for Aeronautic and Space Applications, 23rd International Congress of Areronautical Sciences (ICAS), Toronto – Canada 8-13 September, 2002
- (13) B. Lenczowski H. Koch, K. Eigenfeld, B. Plege, A. Franke, S. Klan: Neue Entwicklungen auf dem Gebiet derv warmfesten Aluminium-Gusswerkstoffen; Giesserei 08/2004, S. 32-38
- (14) K. Eigenfeld, A. Franke, S. Klan H. Koch, B. Lenczowski, B. Plege: New developments in heat resistant aluminum casting materials, Casting, Vol. 20 No. 4, 2004 December, pp 4-9
- (15) A. Franke, B. Lenczowski, H. Koch, B. Plege, M. Douaoui, K. Eigenfelden, S. Klan: New heat-resistant aluminum casting alloys, Proceedings of the 2nd International Light Metals Technology Conference 2005, pp 33-37
- (16) J. Stein, B. Lenczowski: Metal matrix composites containing carbon nanotubes: 14th European Conference on Composite Materials; 7-10 June 2010, Budapest, Hungary
- (17) Th. Hutsch, Weißgärber, B. Kieback, B. Lenczowski, Leonhardt, S. Hampel P, J. Freudenberg: Herstellung und mechanische Eigenschaften von Kohlenstoffnanoröhrchen/Metall Verbundwerkstoffen; DGM Verbundwerkstoffe 18. Symposium Verbundwerkstoffe und Werkstoffverbunde, 30. März-01. April 2011; Technische Universität Chemnitz

Presentations

- (1) B. Lenczowski, T. Pfannenmüller, U. Koch: Neue schweißbare Aluminiumlegierungen; Metall 99, 5/1996 in Ostrau/CZ
- (2) B. Lenczowski: Moderne Leichtmetalle und Leichtmetall-Technologien in der Verkehrstechnik, VDI-Arbeitskreis Werkstofftechnik, 11/1997 in München
- (3) B. Lenczowski, R. Rauh: Neue Leichtbau-Werkstoffe für innovative Bauweisenkonzepte in der Verkehrstechnik; 6/1998 TU Wien,
- (4) B. Lenczowski, R. Rauh, D. Wieser, G. Tempus, G. Fischer, J. Becker, K. Folkers, R. Braun, G. Lütjering:Neue schweißbare AlMgSc-Legierungen für die Verkehrstechnik; Werkstoffwoche 12.-15. Oktober 1998 in München
- (5) B. Lenczowski, T. Hack, D. Wieser, G. Tempus, G. Fischer, J. Becker, K. Folkers, R.Braun, G. Lütjering: AlMgSc Alloys for Transportation Technology; The 7th International Conference on Aluminium Alloys, April 9-14, 2000 in Charlottesville, Virginia

- (6) B. Lenczowski, R. Rauh, T. Pfannenmüller, F. Palm: Neue Leichtmetalle im Flugzeugbau; 1. Ranshofener Leichtmetalltage, 25-26. Mai 2000
- (7) B. Lenczowski: Aluminium in der Verkehrstechnik; Euroforum Aluminium Konferenz, 26.-27. Juni 2001, München
- (8) B. Lenczowski: New Light Alloys for Welded Aircraft Structure, 23rd
 International Congress of Areronautical Sciences (ICAS), Toronto Canada 813 September, 2002
- (9) B. Lenczowski: New Light weight Alloys for Welded Aircraft Structure, II International Scientific-Technical Conference, Zhukovsky, 8-12. October 2002, TsaGI
- (10) B. Lenczowski: Neue Leichtmetalle im Flugzeugbau, FH München, 13.11.2002
- (11) B. Lenczowski, H. Koch, K. Eigenfeld. B. Plege, A. Franke, S. Klan: Neue Entwicklungen auf dem Gebiet der warmfesten Al-Gusswerkstoffe, Giessereitag München 2004
- (12) A. Franke, B. Lenczowski, H. Koch, B. Plege, K. Eigenfeld, S. Klan, M. Douaoui: Neue warmfeste Aluminium-Gusswerkstoffe, W-W 2004 München
- (12) A. Franke, B. Lenczowski, H. Koch, B. Plege, M. Douaoui, K. Eigenfelden, S. Klan: New heat-resistant aluminum casting alloys, Proceedings of the 2nd Intarnational Light Metals Technology Conference 2005
- (13) B. Lenczowski: Einsatz von Aluminium in der Luftfahrt; EUROFORUM-Konferenz, 25-26. Januar 2006, Köln
- (14) A. Franke, B. Lenczowski, T. Pabel, P. Schumacher: Einfluß von Fe und Mn auf die Porositätsbildung in AlSi-Gusslegierungen; 50. Österreichische Giessereitagung, 27-28.4.2006 an der Montanuniversität Leoben
- (15) B. Lenczowski, G. Tempus, K. Juhl, J. Schumacher, A. Bürger, S. Spangel: Al-Mg-Sc Sheet for Advanced Aircraft Application, ILA in Berlin 17. Mai in Berlin
- (16) A. Bürger, S. Spangel. A. Heinz, N. Telioui, M. Knüwer, G. Tempus, K. Juhl, J. Schumacher; B. Lenczowski: Advanced AlMgSc Sheet Products for High Performance Aircraft Structures: Aeromatv 2006, May 15-18, Seattle
- (17) M. Hüller, B. Lenczowski, H.W. Höppel, M. Göken: High Strength Ultrafine-Grained AlMgScZr with Enhanced Thermal Stability, EUROMAT 2007 10-13 Sept. 2007 in Erlangen
- (18) B. Lenczowski: Innovation in Metallic Structures for Aerospace; EADS-Experts Training 9.5.2007, Aying

- (19) M. Hüller, B. Lenczowski, H.W. Höppel, M. Göken: High strength ultrafinegrained AlMgScZr with enhanced thermal stability; EUROMAT 2007, 10th September 2007, Nürmberg
- (20) B. Lenczowski, G.Tempus, C.Dalle Donne: Leichtbau in Aluminium in der Luftfahrt; MATERIALICA, 18.Oktober 2007, München
- (21) B. Lenczowski, E. Hombergsmeier, G.Kelifati: Magnesium for Aeronautical Application; 8th EASN Workshop, 25th-26th of October 2007, Warsaw in Poland
- (22) B. Lenczowski: Metallische Technologien aus der Luft- und Raumfahrt mit Transferpotenzial; Bayern Innovativ, 10. Jahreskongress Zulieferer Innovativ, Ingolstadt, 2. Juli 2008-07-04
- (23) B. Lenczowski: "Bionischer Guss (Leichtbauweise in der Luftfahrt)"; MATERIALICA, 15-16. Oktober 2008, München
- (24) B. Lenczowski: New Material technologies for Aerospace Applications; Recent Research and Design Progress in Aeronautical Engineering (RRPDAE) 2008, October 16-17 Brno University of Technology, Czech Republic
- (25) S. Spangel, A. Bürger, M. Miermeister, B. Lenczowski: Neue Al-Mg-Scwerkstoffe für den Flugzeugbau-Eigenschaften und Potential; Werkstoff-Kolloquium 2008, 2.Dezember 2008, Köln
- (26) B. Lenczowski: Neue Hochleistungswerkstoffe mit Carbon NanoTubestechnologie; 04.-06.Mai 2010, Wehrtechnisches Symposium "Leichtbauwerkstoffe auf Nanobasis", WIWeB Erding
- (27) J. Stein, B. Lenczowski: Metal matrix composites containing carbon nanotubes: 14th European Conference on Composite Materials; 7-10 June 2010, Budapest, Hungary
- (28) B. Lenczowski: Fundamentals of Light Weight Structures & Materials; 1-5.11.2010, 1st Space Technology Course by CTU in Prague, CZ
- (29) B.Lenczowski: Dispersion of functionalised CNT in metal matrix composites (CarboMetal); 25th-27th January 2011, Inno.CNT annual conference on Carbon Nanotubes
- (30) B. Lenczowski: New High Performance Materials with Carbon Nanotube Technologies; JEC Show- 2nd Innovative International Composites Summit (I.I.S.A), March 29-31, 2011, Paris

Special Tasks:

Reviewer for "International Journal of Materials Research" Reviewer for "Advanced Engineering Materials"

| Int. Ref. | Country | Country Official Ref. | Applicant | Filing Date |
|--------------|--------------|-----------------------|-------------------------|-------------|
| D12206/CA/1 | S | 2306892 | EADS Deutschland GmbH | 14.08.1999 |
| D12206/CN/1 | N N | 998014141 | EADS Deutschland GmbH | 14.08.1999 |
| D12206/DE/01 | DE | 19838017.8-09 | EADS Deutschland GmbH | 21.08.1998 |
| D12206/DE/2 | DE | 59907283.0-08 | EADS Deutschland GmbH | 14.08.1999 |
| D12206/FR/1 | π π | 999524010 | EADS Deutschland GmbH | 14.08.1999 |
| D12206/GB/1 | GB | 999524010 | EADS Deutschland GmbH | 14.08.1999 |
| D12206/IT/1 | 느 | 35424/BE/2003 | EADS Deutschland GmbH | 14.08.1999 |
| D12206/JP/1 | Q | 2000-566479 | EADS Deutschland GmbH | 14.08.1999 |
| D12206/RU/1 | RU | 2000112644 | EADS Deutschland GmbH | 14.08.1999 |
| D12206/US/1 | SN | 09/530068 | EADS Deutschland GmbH | 14.08.1999 |
| D12207/CA/1 | CA | 2306912 | Airbus Deutschland GmbH | 10.08.1999 |
| D12207/CN/1 | N N | 998012424 | Airbus Deutschland GmbH | 10.08.1999 |
| D12207/DE/01 | DE | 19838018.6-09 | Airbus Deutschland GmbH | 21.08.1998 |
| D12207/DE/2 | DE | 59912240.4-08 | Airbus Deutschland GmbH | 10.08.1999 |
| D12207/EP/1 | EP | 99952347.5-2122 | Airbus Deutschland GmbH | 10.08.1999 |

| D12207/ES/1 | ES | 99952347.5-2122 | 99952347.5-2122 Airbus Deutschland GmbH | 10.08.1999 |
|-------------|--------|-----------------|---|------------|
| D12207/FR/1 | Ħ. | 99952347.5-2122 | Airbus Deutschland GmbH | 10.08.1999 |
| D12207/GB/1 | GB | 99952347.5-2122 | Airbus Deutschland GmbH | 10.08.1999 |
| D12207/IT/1 | ⊨ | 27174/BE/2005 | Airbus Deutschland GmbH | 10.08.1999 |
| D12207/JP/1 | ਰੂ | 2000-566482 | Airbus Deutschland GmbH | 10.08.1999 |
| D12207/RU/1 | RU | 2000112642 | Airbus Deutschland GmbH | 10.08.1999 |
| D12207/US/1 | SN | 09/530007 | Airbus Deutschland GmbH | 10.08.1999 |
| D12208/AT/1 | AT | 99952346.7-2309 | 99952346.7-2309 Airbus Deutschland GmbH | 10.08.1999 |
| D12208/CA/1 | S S | 2306726 | Airbus Deutschland GmbH | 10.08.1999 |
| D12208/CN/1 | S | 998011959 | Airbus Deutschland GmbH | 10.08.1999 |
| D12208/DE/2 | DE | 59901293.5-08 | Airbus Deutschland GmbH | 10.08.1999 |
| D12208/EP/1 | Е | 99952346.7-2122 | Airbus Deutschland GmbH | 10.08.1999 |
| D12208/ES/1 | ES | 99952346.7-2309 | Airbus Deutschland GmbH | 10.08.1999 |
| D12208/FR/1 | Ħ K | 99952346.7-2309 | Airbus Deutschland GmbH | 10.08.1999 |
| D12208/GB/1 | GB | 99952346.7-2309 | Airbus Deutschland GmbH | 10.08.1999 |
| D12208/IT/1 | ⊨ | 24063/BE/2002 | Airbus Deutschland GmbH | 10.08.1999 |

| D12208/JP/1 | ਦੇ | 2000-566481 | Airbus Deutschland GmbH | 10.08.1999 |
|--------------|----|-----------------|-------------------------|------------|
| D12208/RU/1 | RU | 2000112645 | Airbus Deutschland GmbH | 10.08.1999 |
| D12208/SE/1 | S | 99952346.7-2309 | Airbus Deutschland GmbH | 10.08.1999 |
| D12208/US/1 | SN | 09/530067 | Airbus Deutschland GmbH | 10.08.1999 |
| P609505/CA/1 | Š | 2423566 | Airbus Deutschland GmbH | 25.08.2001 |
| P609505/CN/1 | S | 18155340 | Airbus Deutschland GmbH | 25.08.2001 |
| P609505/DE/1 | DE | 10047491.8-14 | Airbus Deutschland GmbH | 26.09.2000 |
| P609505/DE/2 | DE | 50104142.7-08 | Airbus Deutschland GmbH | 25.08.2001 |
| P609505/EP/1 | П | 01965216.3-2302 | Airbus Deutschland GmbH | 25.08.2001 |
| P609505/ES/1 | ES | 01965216.3-2302 | Airbus Deutschland GmbH | 25.08.2001 |
| P609505/FR/1 | Ä | 01965216.3-2302 | Airbus Deutschland GmbH | 25.08.2001 |
| P609505/GB/1 | GB | 01965216.3-2302 | Airbus Deutschland GmbH | 25.08.2001 |
| P609505/IT/1 | ⊨ | 34235/BE/2004 | Airbus Deutschland GmbH | 25.08.2001 |
| P609505/JP/1 | 럿 | PCT/EP01/09821 | Airbus Deutschland GmbH | 25.08.2001 |
| P609505/RU/1 | RU | 2003112217 | Airbus Deutschland GmbH | 25.08.2001 |
| P609505/US/1 | SN | 10/381476 | Airbus Deutschland GmbH | 25.08.2001 |

| P609699/CA/1 | A | 2398667 | EADS Deutschland GmbH | 14.12.2001 |
|--------------|----------|------------------|--|------------|
| P609699/CN/1 | S | 18053572 | EADS Deutschland GmbH | 14.12.2001 |
| P609699/DE/1 | DE | 50003940.2-08 | EADS Deutschland GmbH | 21.12.2000 |
| P609699/EP/1 | Е | 00128050.2-2309 | EADS Deutschland GmbH | 21.12.2000 |
| P609699/ES/1 | ES | 00128050.2-2309 | EADS Deutschland GmbH | 21.12.2000 |
| P609699/FR/1 | ዴ | 00128050.2-2309 | EADS Deutschland GmbH | 21.12.2000 |
| P609699/GB/1 | GB | 00128050.2-2309 | EADS Deutschland GmbH | 21.12.2000 |
| P609699/IT/1 | 느 | 35167/BE/2003 | EADS Deutschland GmbH | 21.12.2000 |
| P609699/JP/1 | 르 | 2002-551202 | EADS Deutschland GmbH | 14.12.2001 |
| P609699/RU/1 | J. | 2003116892 | EADS Deutschland GmbH | 14.12.2001 |
| P609699/US/1 | SN | 10/204658 | EADS Deutschland GmbH | 14.12.2001 |
| P611054/DE/1 | DE | 10352932.2-24 | EADS Deutschland GmbH | 11.11.2003 |
| P611054/EP/1 | Б | 04802664.5-2122 | EADS Deutschland GmbH | 03.11.2004 |
| P611054/AT/1 | AT | 04802664.5-2122 | EADS Deutschland GmbH | 38294 |
| P611054/DE/2 | DE | 502004010622.6-(| 502004010622.6-0 EADS Deutschland GmbH | 38294 |
| P611054/ES/1 | ES | 04802664.5-2122 | EADS Deutschland GmbH | 38294 |

| 39930 | 102009018762 6-2 FADS Deutschland GmbH | 102009018762 6.2 | Д П | 2009P00282DF DF |
|-------|--|------------------|--------|-----------------|
| 39742 | 102008052604.5-2 EADS Deutschland GmbH | 102008052604.5-; | DE | 2008P00882DE DE |
| 38294 | EADS Deutschland GmbH | 10/579075 | SN | P611054/US/1 |
| 38294 | 04802664.5-2122 EADS Deutschland GmbH | 04802664.5-2122 | SE | P611054/SE/1 |
| 38294 | 04802664.5-2122 EADS Deutschland GmbH | 04802664.5-2122 | ⊨ | P611054/IT/1 |
| 38294 | 04802664.5-2122 EADS Deutschland GmbH | 04802664.5-2122 | GB | P611054/GB/1 |
| 38294 | 04802664.5-2122 EADS Deutschland GmbH | 04802664.5-2122 | H. | P611054/FR/1 |

i ti

Weldable, corrosion-resistant ALMG alloys, especially for manufacturing means of transportation

Weldable, corrosion-resistant ALMG alloys, especially for manufacturing means of transportation

Weldable, corrosion-resistant ALMG alloys, especially for manufacturing means of transportation

Weldable, corrosion-resistant ALMG alloys, especially for manufacturing means of transportation

Weldable, corrosion-resistant ALMG alloys, especially for manufacturing means of transportation

Weldable, corrosion-resistant ALMG alloys, especially for manufacturing means of transportation

Weldable, corrosion-resistant ALMG alloys, especially for manufacturing means of transportation

Weldable, corrosion-resistant ALMG alloys, especially for manufacturing means of transportation

Weldable, corrosion-resistant ALMG alloys, especially for manufacturing means of transportation

Weldable, corrosion-resistant ALMG alloys, especially for manufacturing means of transportation

Weldable anti-corrosive aluminium-magnesium alloy containing a high amount of magnesium, especially for use in aviation

Weldable anti-corrosive aluminium-magnesium alloy containing a high amount of magnesium, especially for use in aviation

Weldable anti-corrosive aluminium-magnesium alloy containing a high amount of magnesium, especially for use in aviation

Weldable anti-corrosive aluminium-magnesium alloy containing a high amount of magnesium, especially for use in aviation

Weldable anti-corrosive aluminium-magnesium alloy containing a high amount of magnesium, especially for use in aviation

Weldable anti-corrosive aluminium-magnesium alloy containing a high amount of magnesium, especially for use in aviation

Weldable anti-corrosive aluminium-magnesium alloy containing a high amount of magnesium, especially for use in aviation

Weldable anti-corrosive aluminium-magnesium alloy containing a high amount of magnesium, especially for use in aviation

Weldable anti-corrosive aluminium-magnesium alloy containing a high amount of magnesium, especially for use in aviation

amount of magnesium, especially for use in aviation Weldable anti-corrosive aluminium-magnesium alloy containing a high amount of magnesium, especially for use in aviation Weldable anti-corrosive aluminium-magnesium alloy containing a high amount of magnesium, especially for use in aviation

Weldable anti-corrosive aluminium-magnesium alloy containing a high amount of magnesium, especially for use in aviation

Novel weldable anti-corrosive aluminium-magnesium alloy containing a high amount of magnesium, especially for use in automobiles

Novel weldable anti-corrosive aluminium-magnesium alloy containing a high amount of magnesium, especially for use in automobiles

Novel weldable anti-corrosive aluminium-magnesium alloy containing a high amount of magnesium, especially for use in automobiles

Novel weldable anti-corrosive aluminium-magnesium alloy containing a high amount of magnesium, especially for use in automobiles

Novel weldable anti-corrosive aluminium-magnesium alloy containing a high amount of magnesium, especially for use in automobiles

Novel weldable anti-corrosive aluminium-magnesium alloy containing a high amount of magnesium, especially for use in automobiles

Novel weldable anti-corrosive aluminium-magnesium alloy containing a nigh amount of magnesium, especially for use in automobiles

Novel weldable anti-corrosive aluminium-magnesium alloy containing a nigh amount of magnesium, especially for use in automobiles

Novel weldable anti-corrosive aluminium-magnesium alloy containing a high amount of magnesium, especially for use in automobiles

Novel weldable anti-corrosive aluminium-magnesium alloy containing a high amount of magnesium, especially for use in automobiles

Novel weldable anti-corrosive aluminium-magnesium alloy containing a high amount of magnesium, especially for use in automobiles

Novel weldable anti-corrosive aluminium-magnesium alloy containing a high amount of magnesium, especially for use in automobiles

Novel weldable anti-corrosive aluminium-magnesium alloy containing a high amount of magnesium, especially for use in automobiles

Method for shaping structures comprised of aluminum alloys

Non-hardenable aluminium alloy for semi-finished product for structures

Cast Aluminium Alloy

Fibre reinforced composite material as well as method for producing the same

A method of producing a metallic composite material with embedded carbon nanotubes and a method of producing a structural component comprising this metallic composite material